

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in this application.

Listing of Claims:

Claim 1 (currently amended): A process for preparing trioxane from aqueous formaldehyde solutions in the presence of acidic catalysts in a reaction column equipped with a circulation evaporator, which comprises mixing the a fresh formaldehyde solution used as a starting solution with a sidestream of concentrated formaldehyde solution from the bottom of the reaction column and feeding it the mixed fresh formaldehyde solution and concentrated formaldehyde solutions to ~~the upper section of the reaction column~~ via a tubular reactor and then to the upper section of the reaction column.

Claim 2 (previously presented): The process as claimed in claim 1, wherein the ratio of the volume per unit time of fresh formaldehyde solution fed to the tubular reactor and the volume per unit time from the bottom of the reaction column fed to the tubular reactor is between 0.5 and 20.

Claim 3 (canceled)

Claim 4 (previously presented): The process as claimed in claim 1, wherein the average residence time in the tubular reactor is between 1 min and 20 min.

Claim 5 (original): The process as claimed in claim 1, wherein the concentration of acidic catalyst is below 2% by weight.

Claim 6 (previously presented): The process claim 1, wherein the pressure in the reaction column is above atmospheric pressure.

Claim 7 (original): The process as claimed in claim 1, wherein some or all of the formaldehyde vapor with which the lower section of the column is charged stems from separate sources.

Claim 8 (original): The process as claimed in claim 1, wherein the catalyst used is a strongly acidic ion exchanger.

Claim 9 (original): An apparatus for carrying out the process as claimed in claim 1, comprising i) a reaction column (A), ii) a bottom stream draw line which opens into iii) a circulation evaporator (B) and feeds to it a portion of the bottom stream, and iv) a draw line for the vapor mixture generated leads from the circulation evaporator into the lower section of the reaction column, v) a draw line for the branching-off of a portion of the bottom stream leads from draw line ii) before it opens into the circulation evaporator (B) and, vi) together with a feed line for fresh formaldehyde solution, opens into vii) a

tubular reactor (D) which opens via a draw line viii) into the upper section of the reaction column (A).

Claim 10 (original): The apparatus as claimed in claim 9, wherein a pump (C) is provided, with which a portion of the bottom stream and of the fresh formaldehyde solution is fed via the tubular reactor (D) to the upper section of the reaction column (A).

Claim 11 (original): The apparatus as claimed in claim 9, wherein at least one feed line is provided, with which the formaldehyde-containing vapor which does not stem from the circulation evaporator (B) can be fed to the lower section of the reaction column (A).